


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	122	(email near9 message\$5 near9 distribution\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:42
L5	190	(determin\$5 identify\$5 detect\$5) near3 (spam\$5 unwant\$5) near3 (email e-mail\$3 message\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:47
L6	5	(determin\$5 identify\$5 detect\$5) near3 (spam\$5 unwant\$5) near3 (email e-mail\$3 message\$5) with (real-time\$3 (real\$3 adj time\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:52
L7	2	("20020184315").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:50
L8	50	"6161130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:50
L9	2550	(709/206).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:50
L10	52	9 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:50
L11	5	6 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:51

L12	3	6 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:51
L13	0	12 and @ad<"20010316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:51

**Web**Results 1 - 3 of about 21 for "identify spam in real time". (0.71 sec on)Network Working Group D. Crocker Internet Draft Brandenburg draft ...

... Wherever the detection mechanism is placed, the critical challenge is to

identify spam in real time, if its relaying and delivery are to be stopped. ...www.watersprings.org/pub/id/ draft-crocker-spam-techconsider-01.txt - 50k - Cached - Similar pagesMossback Culture - Comments on Misunderstanding the Internet

... it also sounds like you are making a huge jump in faith that somehow network

devices will be able to correctly **identify spam in real-time**, ...mossback.org/wp-comments-popup.php?p=1599&c=1 - 36k - Cached - Similar pagesNetwork Working Group D. Crocker Internet Draft Brandenburg 28 Apr Wherever the detection mechanism is placed, the critical challenge is to **identify****spam in real time**, if its relaying and delivery are to be stopped. ...


www.cs-ipv6.lancs.ac.uk/.../standards/general-comms/ internet-drafts/draft-crocker-spam-techconsider-00.txt - 31k - Suppleme

Result - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.


Free! Get the Google Toolbar. Download Now - About Toolbar



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

**Web**Results 1 - 10 of about 5,730 for "unwanted mail" "real-time". (0.40 sec on)Swift Systems, Inc. : A Technology Partner You Can Rely On

... Stops spam attacks in **real time** without compromising accuracy ... or departmental handling of spam and **unwanted mail** by using policies that perform ...
www.swiftsystems.com/stopspam1.aspx - 53k - Cached - Similar pages

Sponsored LinksUnwanted Mail

Stop Delivery of **Junk Mail**
 A Service to Stop **Mail** at Ho
www.stopthejunkmail.com

MailWise - Perini's Data Restored with the Help of MailWise Filter ...

... This **real-time** content filtering redirects content through MailWise ... so that if a user does receive **unwanted mail** they simply send it to MailWise. ...
www.mailwise.com/co_success_am_ref_fuel.htm - 29k - Cached - Similar pages

gemal.dk - Support for Real Time Black Lists in Mozilla Mail

... has made some excellent strides in the fight against **unwanted mail** (SPAM). ... by adding support for **real time** black lists to Mozilla Thunderbird Mail.
gemal.dk/blog/2003/07/07/support_for_real_time_black_lists_in_mozilla_mail/ - 23k - Cached - Similar pages

MegaPhat Industries Inc.

... infectious programs such as virii or trojans, we do not care for their sending us their **unwanted mail**. ... **-Real Time** monitoring of incoming connections ...
www.megaphat.com/products/philter/ - 14k - Mar 5, 2005 - Cached - Similar pages

Detail of Magic Mail(Magic.exe) - Windows Startup Online Repository

... Then you can preview messages and delete **unwanted mail** in order to avoid spam ... By providing a wealth of **real-time** information, combined with simple ...
www.windowsstartup.com/wso/detail.php?id=3598 - 13k - Cached - Similar pages

Oregon State University - Network Engineering

... **Real-time** Black Hole Lists (RBLs) ... When you use a junk mail filter, make sure that you set it to sort the **unwanted mail** into a junk folder, ...
oregonstate.edu/net/services/mail/spam/ - 20k - Cached - Similar pages

PC World | Fortinet unveils new Secure Messaging Platform and ...

... we are extending our portfolio of award winning technology and services for **real-time** network security to help enterprises deal with **unwanted mail** in an ...
www.pcworld.idg.com.au/index.php?id=611608939 - Similar pages

Reseller Web Hosting Spam & Virus Email Filtering - Donhost UK

... of **unwanted mail** and the characteristics of legitimate mail. ... Several **real time** blackhole lists (RBLs) are maintained on the Internet which catalog ...
www.donhost.co.uk/products/resellerspam.html - 27k - Mar 5, 2005 - Cached - Similar pages

Attack of the Spam, Enterprise Edition

... The Spam Blocker extension uses multiple **Real-Time** Blackhole Lists (RBLs) to stop **unwanted mail** as it enters Exchange's Internet Mail Connector (IMC). ...
www.windowsitpro.com/Articles/Index.cfm?ArticleID=24858 - Similar pages

Peek@Mail - About Email Product Review

... It can filter spam based on **real-time** blacklists. ... message headers only at the server to immediately delete **unwanted mail** and worms or viruses. ...

email.about.com/cs/winremotereviews/gr/peekmail.htm - 29k - [Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)


Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 10 of about 146,000 for "spam" "real time" determine check. (0.24 secon

Tip: Save time by hitting the return key instead of clicking on "search"

Barracuda Networks - Spam Filter / Spam Firewall / Spam Appliance ...

... **spam** fingerprint **check**, intention analysis and rule-based scoring. ... of decoy e-mail inboxes designed to catch **spam** to **determine** whether a given IP ...

[www.barracudanetworks.com/ news_and_events/view_news.php?id=59](http://www.barracudanetworks.com/news_and_events/view_news.php?id=59) - 36k - [Cached](#) - [Similar pages](#)

Blocking SPAM (UCE) using Postfix

... then you would not be able to **determine** the helo, sender, and recipient ...
 DNS **check** will only occur if nothing else will reject the **spam** message. ...

www.akadia.com/services/postfix_uce.html - 18k - [Cached](#) - [Similar pages](#)

Anti-spam for Exchange Server 2003, 2000, 5.5 and Lotus Domino

... By using **real-time** black lists Policy Patrol can stop **spam** from even ...
 Policy Patrol can also be configured to specifically **check** the HTML code, ...
www.policypatrol.com/PolicyPatrolSpamFilter.htm - 25k - [Cached](#) - [Similar pages](#)

SOE SPAM Firewall FAQ

... and uses a rating criteria and threshold to **determine** **spam** likelihood. ...
 when you activate the campus **spam** filters, you'll need to **check** all that **spam** ...
soe.uwm.edu/spamfaq.htm - 17k - [Cached](#) - [Similar pages](#)

ServePath Spam & Virus Filtering Specifications

... of tests to **determine** whether the message is **spam**, a virus or a valid Email.
 These tests are performed in **real-time** and do not delay the transmission of ...
www.servepath.com/hosted/mail_filtering_specs.htm - 46k - [Cached](#) - [Similar pages](#)

Graith Internet - Spam Bouncer

... to **determine** the likelihood of any particular message being **spam**. ...
SPAM Bouncer checks for the presence of the originating mail servers in any of ...
www.graith.co.uk/spam_bouncer.php - 21k - Mar 5, 2005 - [Cached](#) - [Similar pages](#)

Spam and Virus Protection.

... You should double **check** the virus scanning documentation to **check** the error
 ... identified as **spam** by SmiteSpam or external **spam** identification filters. ...
netwinst.com/surgemail/help/protected.htm - 30k - [Cached](#) - [Similar pages](#)

Sophos spam glossary

... used by Sophos PureMessage to **determine** if an email is **spam** or not. ...
 When an anti-**spam** engine uses a Domain Name System database to **check** an email's ...
www.sophos.com/spaminfo/explained/spamglossary.html - 29k - [Cached](#) - [Similar pages](#)

Six Apart Guide to Combatting Comment Spam

... for spammers to **determine** the information they need to **spam** you. ... Brad Choate's free MT-DSBL plugin uses **real-time** DNS lookups to **determine** if the ...
www.sixapart.com/pronet/comment_spam.html - 53k - Mar 5, 2005 - [Cached](#) - [Similar pages](#)

Spam blockers

... **spam** fingerprint **check**, intention analysis and rule-based scoring. ...
a collection of decoy e-mail inboxes designed to catch **spam** — to **determine** ...
[www.fcw.com/fcw/articles/ 2004/0705/feat-spam-07-05-04.asp](http://www.fcw.com/fcw/articles/2004/0705/feat-spam-07-05-04.asp) - 40k - [Cached](#) - [Similar pages](#)

Gooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: emails - files - chats - web history

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

 **PORTAL**
US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login
 Search: The ACM Digital Library The Guide
 +"spam" +"detect" +"real-time"

THE ACM DIGITAL LIBRARY

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before March 2001

Found 13 of 112,540

Terms used [spam](#) [detect](#) [real time](#)

Sort results by relevance [Save results to a Binder](#)
 Display results expanded form [Search Tips](#)
 [Open results in a new window](#)

Try an [Advanced Search](#)
 Try this search in [The ACM Guide](#)

Results 1 - 13 of 13

Relevance scale **1 [Fast detection of communication patterns in distributed executions](#)**

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**Full text available:  [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Columns: Risks to the public in computers and related systems](#)

Peter G. Neumann

January 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 1Full text available:  [pdf\(3.24 MB\)](#) Additional Information: [full citation](#)**3 [Knowledge-based assistant for colonoscopy](#)**

L. Enrique Sucar, Duncan F. Gillies

June 1990 **Proceedings of the third international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2**Full text available:  [pdf\(820.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Endoscopy is a complex task in which an expert physician is required to guide the endoscope inside the human colon. The objective of this system is to develop a computer assistant that could help the doctor with the navigation of the endoscope inside the colon, serving as an advisory system for learning endoscopists. A knowledge-base (KB) in colon endoscopy has been compiled from the knowledge extracted from an expert colonoscopist. It includes knowledge for colon image interpret ...

4 [Information retrieval on the web](#)

Mei Kobayashi, Koichi Takeda

June 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 2

Full text available: [pdf\(213.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper we review studies of the growth of the Internet and technologies that are useful for information search and retrieval on the Web. We present data on the Internet from several different sources, e.g., current as well as projected number of users, hosts, and Web sites. Although numerical figures vary, overall trends cited by the sources are consistent and point to exponential growth in the past and in the coming decade. Hence it is not surprising that about 85% of Internet user ...

Keywords: Internet, World Wide Web, clustering, indexing, information retrieval, knowledge management, search engine

5 **Session 13: scheduling and operating systems: Tolerating node failures in cache only memory architectures** 

A. Gefflaut, C. Morin, M. Banâtre

November 1994 **Proceedings of the 1994 ACM/IEEE conference on Supercomputing**

Full text available: [pdf\(996.24 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

COMAs (Cache Only Memory Architectures) are an interesting class of large scale shared memory multiprocessors. They extend the concepts of cache memories and shared virtual memory by using the local memories of the nodes as large caches for a single shared address space. Due to their large number of components, these architectures are particularly susceptible to hardware failures and so fault tolerance mechanisms have to be introduced to ensure a high availability. In this paper, we propose an i ...

6 **Electronic commerce: a half-empty glass?** 

Sasa Dekleva

June 2000 **Communications of the AIS**

Full text available: [pdf\(343.49 KB\)](#) Additional Information: [full citation](#), [references](#)

7 **Specification, validation, and synthesis of email agent controllers: A case study in function rich reactive system design** 

Robert J. Hall

August 2000 **Proceedings of the third workshop on Formal methods in software practice**

Full text available: [pdf\(527.90 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

With a few exceptions, previous formal methods for reactive system design have focused on finite state machines represented in terms of boolean states and boolean next-state functions. By contrast, in many reactive system domains requirements engineers and developers think in terms of complex data types and expressive next-state functions. Formal methods for reactive system design must be extended to meet their needs as well. I term a reactive system function rich if expr ...

Keywords: Electronic Mail, Formal Methods, Reactive Systems

8 **The development of Erlang** 

Joe Armstrong

August 1997 **ACM SIGPLAN Notices , Proceedings of the second ACM SIGPLAN international conference on Functional programming**, Volume 32 Issue 8

Full text available: [pdf\(658.07 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

terms

This paper describes the development of the programming language Erlang during the period 1985--1997. Erlang is a concurrent programming language designed for programming large-scale distributed soft real-time control applications. The design of Erlang was heavily influenced by ideas from the logic and functional programming communities. Other sources of inspiration came from languages such as Chill and Ada which are used in industry for programming control systems.

9 Fast software processing of motion JPEG video

B. Smith

October 1994 *Proceedings of the second ACM international conference on Multimedia*Full text available:  [pdf\(843.65 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper introduces a set of techniques for processing video data compressed using JPEG compression at near real-time rates on current generation workstations. Performance is improved over traditional methods by processing video data in compressed form, avoiding compression and decompression and reducing the amount of data processed. An approximation technique called condensation is developed that further reduces the complexity of the operation. The class of operations th ...

10 Increasing the reliability of email services

Joe Armstrong

March 2000 *Proceedings of the 2000 ACM symposium on Applied computing*Full text available:  [pdf\(342.83 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: Erlang, IMAP4, POP3, SMTP, email, functional programming, reliability

11 ForumSeptember 1999 **Communications of the ACM**, Volume 42 Issue 9Full text available:  [pdf\(157.63 KB\)](#)  [html\(24.42 KB\)](#) Additional Information: [full citation](#), [index terms](#)**12 Netman: a learning network traffic controller**

Bernard Silver

June 1990 *Proceedings of the third international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 2*Full text available:  [pdf\(963.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the goals of Machine Learning is the production of software that can improve itself. Such software can learn from experience and adapt to changing situations and requirements. In addition, such software can refine its knowledge-base, perhaps leading to a level of expertise beyond that of human experts. This paper describes NETMAN, a knowledge-based program that uses a machine learning technique, Knowledge-based Learning, in the domain of Network Traffic Co ...

13 Columns: Risks to the public in computers and related systems

Peter G. Neumann

March 2001 *ACM SIGSOFT Software Engineering Notes*, Volume 26 Issue 2

Full text available: [!\[\]\(e462f608b89f421f9d905728e26f6429_img.jpg\) pdf\(832.74 KB\)](#) Additional Information: [full citation](#)

Results 1 - 13 of 13

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [!\[\]\(30072721fe92392a2d7c953be68f714a_img.jpg\) Adobe Acrobat](#) [!\[\]\(aa7597efad1533686ca89d23deb8d7d7_img.jpg\) QuickTime](#) [!\[\]\(6f5e3ed7b4792cd6768bab683adb4806_img.jpg\) Windows Media Player](#) [!\[\]\(9dcf214d672be57a2d9373c5d87ed1a3_img.jpg\) Real Player](#)

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

Print Format



Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

Print Format